

CLASS 150# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.5150	1/2"	1-3/4"	1/4"	1
PB.75150	3/4"	2-1/8"	1/4"	2
PB1150	1"	2-1/2"	1/4"	2
PB1.25150	1-1/4"	2-7/8"	1/4"	2
PB1.5150	1-1/2"	3-1/4"	1/4"	2
PB2150	2"	4"	1/4"	2
PB2.5150	2-1/2"	4-3/4"	1/4"	3
PB3150	3"	5-1/4"	1/4"	3
PB3.5150	3-1/2"	6-1/4"	3/8"	5
PB4150	4"	6-3/4"	3/8"	6
PB5150	5"	7-5/8"	3/8"	7
PB6150	6"	8-5/8"	1/2"	11
PB8150	8"	10-7/8"	1/2"	16
PB10150	10"	13-1/4"	5/8"	22
PB12150	12"	16"	3/4"	47
PB14150	14"	17-5/8"	3/4"	56
PB16150	16"	20-1/8"	7/8"	95
PB18150	18"	21-1/2"	1"	108
PB20150	20"	23-3/4"	1-1/8"	164
PB22150	22"	25-7/8"	1-1/4"	193
PB24150	24"	28-1/8"	1-1/4"	227

CLASS 300# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.5300	1/2"	2"	1/4"	1
PB.75300	3/4"	2-1/2"	1/4"	2
PB1300	1"	2-3/4"	1/4"	2
PB1.25300	1-1/4"	3-1/8"	1/4"	2
PB1.5300	1-1/2"	3-5/8"	1/4"	2
PB2300	2"	4-1/4"	3/8"	3
PB2.5300	2-1/2"	5"	3/8"	4
PB3300	3"	5-3/4"	3/8"	5
PB3.5300	3-1/2"	6-3/8"	1/2"	7
PB4300	4"	7"	1/2"	8
PB5300	5"	8-3/8"	5/8"	13
PB6300	6"	9-3/4"	5/8"	16
PB8300	8"	12"	7/8"	37
PB10300	10"	14-1/8"	1"	50
PB12300	12"	16-1/2"	1-1/8"	82
PB14300	14"	19"	1-1/4"	107
PB16300	16"	21-1/8"	1-1/2"	157
PB18300	18"	23-3/8"	1-5/8"	222
PB20300	20"	25-5/8"	1-3/4"	265
PB22300	22"	27-5/8"	2"	350
PB24300	24"	30-3/8"	2"	422

DIMENSIONS PER ASME B16.48 FACING TOLERANCES PER ASME B16.5

THICKNESS TOLERANCES - (NPS 18" AND SMALLER - ZERO + .12") (NPS 20" AND LARGER - ZERO +.19")

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 600# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.5600	1/2"	2"	1/4"	1
PB.75600	3/4"	2-1/2"	1/4"	2
PB1600	1"	2-3/4"	1/4"	2
PB1.25600	1-1/4"	3-1/8"	3/8"	2
PB1.5600	1-1/2"	3-5/8"	3/8"	3
PB2600	2"	4-1/4"	3/8"	3
PB2.5600	2-1/2"	5"	1/2"	5
PB3600	3"	5-3/4"	1/2"	6
PB3.5600	3-1/2"	6-1/4"	5/8"	9
PB4600	4"	7-1/2"	5/8"	11
PB5600	5"	9-3/8"	3/4"	19
PB6600	6"	10-3/8"	7/8"	29
PB8600	8"	12-1/2"	1-1/8"	50
PB10600	10"	15-5/8"	1-3/8"	89
PB12600	12"	17-7/8"	1-5/8"	134
PB14600	14"	19-1/4"	1-3/4"	154
PB16600	16"	22-1/8"	2"	228
PB18600	18"	24"	2-1/8"	300
PB20600	20"	26-3/4"	2-1/2"	412
PB22600	22"	28-7/8"	2-7/8"	521
PB24600	24"	31"	2-7/8"	658

CLASS 900# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.5900	1/2"	2-3/8"	1/4"	2
PB.75900	3/4"	2-5/8"	1/4"	2
PB1900	1"	3"	1/4"	2
PB1.25900	1-1/4"	3-3/8"	3/8"	3
PB1.5900	1-1/2"	3-3/4"	3/8"	3
PB2900	2"	5-1/2"	1/2"	6
PB2.5900	2-1/2"	6-3/8"	1/2"	7
PB3900	3"	6-1/2"	5/8"	9
-	3-1/2"	-	-	-
PB4900	4"	8"	3/4"	15
PB5900	5"	9-5/8"	7/8"	26
PB6900	6"	11-1/4"	1"	33
PB8900	8"	14"	1-3/8"	73
PB10900	10"	17"	1-5/8"	122
PB12900	12"	19-1/2"	1-7/8"	178
PB14900	14"	20-3/8"	2-1/8"	217
PB16900	16"	22-1/2"	2-3/8"	292
PB18900	18"	25"	2-5/8"	393
PB20900	20"	27-3/8"	2-7/8"	517
-	22"	-	-	-
PB24900	24"	32-7/8"	3-1/2"	860

DIMENSIONS PER ASME B16.48 FACING TOLERANCES PER ASME B16.5

THICKNESS TOLERANCES - (NPS 18" AND SMALLER - ZERO + .12") (NPS 20" AND LARGER - ZERO +.19")

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 1500# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.51500	1/2"	2-3/8"	1/4"	2
PB.751500	3/4"	2-5/8"	3/8"	3
PB11500	1"	3"	3/8"	3
PB1.251500	1-1/4"	3-3/8"	3/8"	3
PB1.51500	1-1/2"	3-3/4"	1/2"	4
PB21500	2"	5-1/2"	1/2"	6
PB2.51500	2-1/2"	6-3/8"	5/8"	9
PB31500	3"	6-3/4"	3/4"	12
-	3-1/2"	-	-	-
PB41500	4"	8-1/8"	7/8"	20
PB51500	5"	9-7/8"	1-1/8"	34
PB61500	6"	11"	1-3/8"	48
PB81500	8"	13-3/4"	1-5/8"	83
PB101500	10"	17"	2"	139
PB121500	12"	20-3/8"	2-3/8"	244
PB141500	14"	22-5/8"	2-5/8"	328
PB161500	16"	25-1/8"	3"	438
PB181500	18"	27-5/8"	3-3/8"	613
PB201500	20"	29-5/8"	3-3/4"	753
-	22"	-	-	-
PB241500	24"	35-3/8"	4-3/8"	1278

CLASS 2500# PADDLE BLIND

ITEM ID	SIZE	OD	THK	WEIGHT
PB.52500	1/2"	2-5/8"	3/8"	3
PB.752500	3/4"	2-7/8"	3/8"	3
PB12500	1"	3-1/4"	3/8"	3
PB1.252500	1-1/4"	4"	1/2"	4
PB1.52500	1-1/2"	4-1/2"	5/8"	6
PB22500	2"	5-5/8"	5/8"	8
PB2.52500	2-1/2"	6-1/2"	3/4"	11
PB32500	3"	7-5/8"	7/8"	18
-	3-1/2"	-	-	-
PB42500	4"	9-1/8"	1-1/8"	30
PB52500	5"	10-7/8"	1-3/8"	47
PB62500	6"	12-3/8"	1-5/8"	69
PB82500	8"	15-1/8"	2-1/8"	176
PB102500	10"	18-5/8"	2-5/8"	206
PB122500	12"	21-1/2"	3-1/8"	352

DIMENSIONS PER ASME B16.48 FACING TOLERANCES PER ASME B16.5

THICKNESS TOLERANCES - (NPS 18" AND SMALLER - ZERO + .12") (NPS 20" AND LARGER - ZERO +.19")

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 150# PADDLE BLIND SER A

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES A			
PB26150SA	26"	30-3/8"	1-3/8"	290
PB28150SA	28"	32-5/8"	1-1/2"	363
PB30150SA	30"	34-5/8"	1-5/8"	442
PB32150SA	32"	36-7/8"	1-3/4"	539
PB34150SA	34"	38-7/8"	1-7/8"	641
PB36150SA	36"	41-1/8"	1-7/8"	716
PB38150SA	38"	43-5/8"	2	858
PB40150SA	40"	45-5/8"	2-1/8"	996
PB42150SA	42"	47-7/8"	2-1/8"	1,096
PB44150SA	44"	50-1/8"	2-1/4"	1,271
PB46150SA	46"	52-1/8"	2-3/8"	1,450
PB48150SA	48"	54-3/8"	2-1/2"	1,660
PB50150SA	50"	56-3/8"	2-3/4"	1,961
PB52150SA	52"	58-5/8"	3"	2,312
PB54150SA	54"	60-7/8"	3"	2,492
PB56150SA	56"	63-1/8"	3-1/4"	2,902
PB58150SA	58"	65-3/8"	3-1/4"	3,111
PB60150SA	60"	67-3/8"	3-1/2"	3,557

CLASS 150# PADDLE BLIND SER B

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES B			
PB26150SB	26"	28-7/16"	1-3/8"	254
PB28150SB	28"	30-7/16"	1-1/2"	316
PB30150SB	30"	32-7/16"	1-5/8"	388
PB32150SB	32"	34-9/16"	1-3/4"	473
PB34150SB	34"	36-11/16"	1-7/8"	570
PB36150SB	36"	38-3/4"	1-7/8"	637
PB38150SB	38"	41"	2"	759
PB40150SB	40"	43"	2-1/8"	886
PB42150SB	42"	45"	2-1/8"	970
PB44150SB	44"	47"	2-1/4"	1,119
PB46150SB	46"	49-5/16"	2-3/8"	1,296
PB48150SB	48"	51-5/16"	2-1/2"	1,476
PB50150SB	50"	53-5/16"	2-3/4"	1,751
PB52150SB	52"	55-5/16"	3"	2,056
PB54150SB	54"	57-1/2"	3"	2,225
PB56150SB	56"	59-1/2"	3-1/4"	2,580
PB58150SB	58"	62-1/16"	3-1/4"	2,800
PB60150SB	60"	64-1/16"	3-1/2"	3,193

DIMENSIONS PER ASME B16.47

THICKNESS CALCULATIONS PER ASME B31.3

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 300# PADDLE BLIND SER A

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES A			
PB26300SA	26"	32-3/4"	2-1/8"	519
PB28300SA	28"	35-1/4"	2-1/4"	635
PB30300SA	30"	37-3/8"	2-1/2"	791
PB32300SA	32"	39-1/2"	2-5/8"	926
PB34300SA	34"	41-1/2"	2-3/4"	1,069
PB36300SA	36"	43-7/8"	2-7/8"	1,248
PB38300SA	38"	41-3/8"	3-1/8"	1,208
PB40300SA	40"	43-3/4"	3-1/4"	1,403
PB42300SA	42"	45-3/4"	3-3/8"	1,591
PB44300SA	44"	47-7/8"	3-1/2"	1,805
PB46300SA	46"	50"	3-5/8"	2,038
PB48300SA	48"	52"	3-7/8"	2,354
PB50300SA	50"	54-1/8"	4"	2,182
PB52300SA	52"	56-1/8"	4"	2,361
PB54300SA	54"	58-5/8"	4-1/4"	2,745
PB56300SA	56"	60-5/8"	4-1/2"	3,708
PB58300SA	58"	62-5/8"	4-1/2"	3,955
PB60300SA	60"	64-5/8"	4-3/4"	4,444

CLASS 300# PADDLE BLIND SER B

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES B			
PB26300SB	26"	30-1/4"	2-1/8"	444
PB28300SB	28"	32-3/8"	2-1/4"	537
PB30300SB	30"	34-3/4"	2-1/2"	686
PB32300SB	32"	36-7/8"	2-5/8"	809
PB34300SB	34"	39"	2-3/4"	946
PB36300SB	36"	41-1/8"	2-7/8"	1,098
PB38300SB	38"	43-1/8"	3-1/8"	1,311
PB40300SB	40"	45-1/8"	3-1/4"	1,491
PB42300SB	42"	47-1/8"	3-3/8"	1,687
PB44300SB	44"	49-1/8"	3-1/2"	1,900
PB46300SB	46"	51-3/4"	3-5/8"	2,181
PB48300SB	48"	53-3/4"	3-7/8"	2,514
PB50300SB	50"	55-3/4"	4"	2,790
PB52300SB	52"	57-3/4"	4"	2,992
PB54300SB	54"	60-1/8"	4-1/4"	3,444
PB56300SB	56"	62-5/8"	4-1/2"	3,955
PB58300SB	58"	65-1/16"	4-1/2"	4,259
PB60300SB	60"	67-1/16"	4-3/4"	4,774

DIMENSIONS PER ASME B16.47

THICKNESS CALCULATIONS PER ASME B31.3

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 600# PADDLE BLIND SER A

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES A			
PB26600SA	26"	34"	3-1/8"	821
PB28600SA	28"	35-7/8"	3-3/8"	986
PB30600SA	30"	38-1/8"	3-5/8"	1,193
PB32600SA	32"	40-1/8"	3-3/4"	1,365
PB34600SA	34"	42-1/8"	4-1/8"	1,652
PB36600SA	36"	44-3/8"	4-1/4"	1,803
PB38600SA	38"	43-3/8"	4-1/2"	1,997
PB40600SA	40"	45-3/8"	4-3/4"	2,203
PB42600SA	42"	47-7/8"	5"	2,579
PB44600SA	44"	49-7/8"	5-1/4"	2,936
PB46600SA	46"	52-1/8"	5-1/2"	3,326
PB48600SA	48"	54-5/8"	5-3/4"	3,852
PB50600SA	50"	56-7/8"	6"	4,355
PB52600SA	52"	58-7/8"	6-1/4"	4,858
PB54600SA	54"	61-1/8"	6-1/2"	5,444
PB56600SA	56"	63-3/8"	6-3/4"	6,074
PB58600SA	58"	65-3/8"	7"	6,701
PB60600SA	60"	68-1/8"	7-1/4"	7,533

CLASS 600# PADDLE BLIND SER B

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES B			
PB26600SB	26"	30"	3-1/8"	643
PB28600SB	28"	32-1/8"	3-3/8"	491
PB30600SB	30"	34-1/2"	3-5/8"	980
PB32600SB	32"	36-5/8"	3-3/4"	1,140
PB34600SB	34"	39-1/8"	4-1/8"	1,428
PB36600SB	36"	41-1/8"	4-1/4"	1,623
PB38600SB	38"	43-3/8"	4-1/2"	1,997
PB40600SB	40"	45-3/8"	4-3/4"	2,203
PB42600SB	42"	47-7/8"	5"	2,579
PB44600SB	44"	49-7/8"	5-1/4"	2,936
PB46600SB	46"	52-1/8"	5-1/2"	3,326
PB48600SB	48"	54-5/8"	5-3/4"	3,852
PB50600SB	50"	56-7/8"	6"	4,355
PB52600SB	52"	58-7/8"	6-1/4"	4,858
PB54600SB	54"	61-1/8"	6-1/2"	5,444
PB56600SB	56"	63-3/8"	6-3/4"	6,074
PB58600SB	58"	65-3/8"	7"	6,701
PB60600SB	60"	68-1/8"	7-1/4"	7,533

DIMENSIONS PER ASME B16.47

THICKNESS CALCULATIONS PER ASME B31.3

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE

CLASS 900# PADDLE BLIND SER A

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES A			
PB26900SA	26"	34-5/8"	3-3/4"	1,021
PB28900SA	28"	37-1/8"	4-1/8"	1,288
PB30900SA	30"	39-5/8"	4-3/8"	1,553
PB32900SA	32"	42-1/2"	4-3/4"	1,902
PB34900SA	34"	44-5/8"	5"	2,244
PB36900SA	36"	47-1/8"	5-1/4"	2,625
PB38900SA	38"	47-1/8"	5-1/2"	2,866
PB40900SA	40"	49-1/8"	5-7/8"	3,189
PB42900SA	42"	51-1/8"	6-1/8"	3,598
PB44900SA	44"	53-3/4"	6-3/8"	4,136
PB46900SA	46"	56-3/8"	6-3/4"	4,814
PB48900SA	48"	58-3/8"	7"	5,350

CLASS 900# PADDLE BLIND SER B

ITEM ID	SIZE	OD	THK	WEIGHT
	SERIES B			
PB26900SB	26"	32-7/8"	3-3/4"	922
PB28900SB	28"	35-3/8"	4-1/8"	1,171
PB30900SB	30"	37-5/8"	4-3/8"	1,403
PB32900SB	32"	39-7/8"	4-3/4"	1,707
PB34900SB	34"	42-1/8"	5"	2,003
PB36900SB	36"	44-1/8"	5-1/4"	2,304
PB38900SB	38"	47-1/8"	5-1/2"	2,866
PB40900SB	40"	49-1/8"	5-7/8"	3,189
PB42900SB	42"	51-1/8"	6-1/8"	3,598
PB44900SB	44"	53-3/4"	6-3/8"	4,136
PB46900SB	46"	56-3/8"	3-3/4"	4,814
PB48900SB	48"	58-3/8"	7"	5,350

DIMENSIONS PER ASME B16.47

THICKNESS CALCULATIONS PER ASME B31.3

MATERIAL: A516-70, 304L, 316L

FINISH: MILL OR 125-250 AARH MACHINE

"T" STYLE HANDLE